

SPECIFICATION

Please replace the first five paragraphs in the specification on page 5 with the enclosed material beginning on the following page and which extends to the next page. No text has been deleted. Newly added text is underlined.

Please also replace the second paragraph on page 10 in the specification with the paragraph that is included on the next following page hereinbelow (following the changes to page 5).

FIG. 1 is a view in perspective of a collapsible luggage.

FIG. 2 is a view in perspective of the collapsible luggage of **FIG. 1** in a collapsed state.

FIG. 3 is a top view of the luggage of **FIG. 1** in a collapsed position absent a top panel.

FIG. 4 is a view in perspective of a modified top for use with a collapsible luggage.

FIG. 5 is a view in perspective of certain modifications to the collapsible luggage of **FIG. 1**.

FIG. 6 is a view in perspective of the modified top of **FIG. 4** with additional modifications thereto.

DETAILED DESCRIPTION OF THE INVENTION

Referring to all of the drawings and now in particular to **FIG. 1** is shown, a collapsible luggage, identified in general by the reference numeral 10 shown in the open position. Please refer also to **FIG. 5** for an illustration of proposed modifications that can be made to the collapsible luggage of **FIG. 1**.

Referring now to **FIG. 4**, a second modified top 60 is attached to a modified side panel 62. The side panel 62 is attached to a bottom edge 63 of a modified collapsible luggage 64. The side panel 62 is either solid or flexible, as desired. Please refer also to **FIG. 6** for an illustration of proposed modifications that can be made to the collapsible luggage of **FIG. 1**.